

WHS-PRO-009 Biosafety Procedure

Appendix 3: OGTR Certified Laboratories

OGTR Cert #	Cert Level	Location	Division	Building	Room	Type
1142	PC2	TSV	DTHM	020-001, 009	001, 009, 011	Laboratory, Molecular Genetic Lab
1142	PC2	TSV	DTHM	020-011	11	Laboratory, Molecular Genetic Lab
1143	PC2	TSV	DTHM	087-110	110	Laboratory, Virology Lab
1144	PC2	TSV	DTHM	087-115	115	Laboratory Clinical Microbiology Lab
2032	PC2	TSV	DTHM	31	31	Research animal house
3029	PC3	TSV	DTHM	087-120	120	Laboratory & airlock
3030	PC2	TSV	DTHM	47 -102, 102A-102J	102, 102A-102J	Laboratory, Med Research lab
4165	PC1	TSV	DTHM	86	1	Animal Facility
4169	PC2	TSV	DTHM	AITHM 48	111, 112, 113A, 113B, 114, 115, 117, 118, 119, 120, C104, C105	Microbiology Laboratory
4200	PC3	TSV	DTHM	48	313, 313A to 313E, 314, 315, 315A to 315D and 320	Laboratory
4212	PC2 Animal Facility	TSV	DTHM	48	31, X301, 301 to 306, 316 to 319 and Corridor C303 and C301	Animal Facility
3197	PC2	CNS	DTHM	E1-103D	103 D	DPHTM Schistosomiasis Lab
3204	PC2	CNS	DTHM	E1-103E	103 E	DPHTM Schistosomiasis Research Facility
3278	PC2	CNS	DTHM	E4.004, E4.005	004, E5.005	Animal Facility

WHS-PRO-009 Biosafety Procedure

Appendix 3: OGTR Certified Laboratories

OGTR Cert #	Cert Level	Location	Division	Building	Room	Type
3279	PC2	CNS	DTHM	E4.006 (sterilizer room) and corridor E4.C001	006, C001	QTHA Laboratories
3280	PC2	CNS	DTHM	E4.003, 003A, 003B, 003C	003, 003A-C	QTHA Arthropod Facility
3281	PC2	CNS	DTHM	E4-114A,115,115A,116,122	114A,115,115A,116, 122	QTHA Laboratories
3496	PC2	CNS	DTHM	D1-121A	121A	Dentistry Laboratory
4000	PC2	CNS	DTHM	E1	103P	Health and Sciences Building (E1)
NA	NA	CNS	DTES	E1	1.110C, 1.110F, 1.110G	Health and Sciences Building (E1)
NA	NA	CNS	DTES	A2	231	Soils Laboratory